

ANIMAL INVENTORY 2ND QUARTER (FROM 1ST JULY- 2017 TO 30TH SEPTEMBER- 2017)

| Sl. No | Species | Scientific name | SCH | Stock as on 01.07.2017 | | | | During the Month | | | | | | | | | | | | Stock as on 30.09.2017 | | | | |
|--------|---|-------------------------------------|-----|------------------------|----------|-----------|-----------|------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------------------|----------|-----------|-----------|-----|
| | | | | M | F | U | T | M | F | U | M | F | U | M | F | U | M | F | U | M | F | U | T | |
| | BIRDS | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | MYNAH HILL | <i>Gracula religiosa</i> | I | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 2 | A. PEA FOWL, INDIAN | <i>Pavo cristatus</i> | I | 5 | 2 | 7 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 2 | 7 | 14 |
| | B. PEA FOWL, INDIAN WHITE | <i>Pavo cristatus</i> | I | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 6 |
| 3 | SPOONBILL WHITE EURASIAN | <i>Platalea leucorodia</i> | I | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 4 | VULTURE CINEREOUS | <i>Aegyptius monachus</i> | I | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 5 | VULTURE LONG BILLED | <i>Gyps indicus</i> | I | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 6 | VULTURE WHITE BACKED | <i>Gyps bengalensis</i> | I | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 7 | KITE BRAMHINY | <i>Haliastur indus</i> | I | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 |
| 8 | KITE BLACK | <i>Milvus migrans</i> | I | 1 | 1 | 9 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 9 | 11 |
| 9 | SHIKRA | <i>Accipiter badius</i> | I | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 10 | HORNBILL GREY | <i>Ocyrceros birostris</i> | I | 1 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 3 |
| | SCH-I & II - TOTAL | | | 9 | 5 | 26 | 40 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 7 | 26 | 44 | |
| | OTHERS | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | BUDGERIGAR | <i>Melopsittacus undulatus</i> | E | 138 | 242 | 119 | 499 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 138 | 242 | ## | 499 |
| 13 | COCKATIEL, WHITE/ CINAMON PEARS PIED | <i>Nymphicus hollandicus</i> | E | 17 | 24 | 49 | 90 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 16 | 23 | 49 | 88 | |
| 14 | COCKATOO, LESSER SULPHUR CRESTED | <i>Cacatua slphurea</i> | E | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 15 | COCKATOO, UMBRELLA SULPHUR CRESTED | <i>Cacatua slphurea</i> | E | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 16 | CONNURE BROWN THROATED | <i>Eupsittula pertinax</i> | E | 1 | 1 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 4 |
| 17 | CONNURE JANDAYA | <i>Aratinga jandaya</i> | E | 1 | 2 | 15 | 18 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 17 | 20 |
| 18 | CONURE SUN | <i>Aratinga solstitialis</i> | E | 0 | 0 | 34 | 34 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 | 39 |
| 19 | CONURE PINE APPLE | <i>Pyrrhura molinae molinae</i> | E | 3 | 3 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 2 | 0 | 5 | |
| 20 | CONURE YELLOW SIDED | <i>Pyrrhura molinae sordida</i> | E | 4 | 5 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 5 | 0 | 9 | |
| 21 | CRANE SARUS | <i>Grus antigone</i> | IV | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 22 | CANARY | <i>Serinus canaria</i> | IV | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 23 | DOVE, EMERALD | <i>Chalcophaps indica</i> | IV | 0 | 0 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 |
| 24 | DOVE, SPOTTED | <i>Spilopelia chinesis</i> | E | 1 | 1 | 6 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 6 | 8 |
| 25 | DOVE BARBARY | <i>Streptopelia risoria</i> | E | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 26 | DOVE, DIAMOND | <i>Geopelia cuneata</i> | E | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 27 | DOVE LAUGHING | <i>Spilopelia senegalnesis</i> | E | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 28 | DOVE, RING NECKED | <i>Streptopelia capicola</i> | E | 1 | 1 | 3 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 5 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----|----------------|-------------------------|---|----|----|---|----|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|----|
| 29 | DUCK, MANDARIN | <i>Aix galericulata</i> | E | 12 | 10 | 2 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 12 | 9 | 2 | 23 |
|----|----------------|-------------------------|---|----|----|---|----|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|----|

| | | | | | | | | | | | | | | | | | | | | | | | |
|----|-------------------------------------|--|----|----|----|----|-----|---|---|---|---|---|---|---|---|---|---|---|---|----|----|----|-----|
| 30 | EGRET CATTEL | <i>Bubulcus ibis</i> | IV | 1 | 0 | 5 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 6 |
| 31 | EGRET LARGE | <i>Cosmerodius albus</i> | IV | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 32 | EGRET, LITTLE | <i>Egretta garzetta</i> | IV | 0 | 0 | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 |
| 33 | EGRET, MEDIAN | <i>Egretta intermedia</i> | IV | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 34 | EMU | <i>Dromaius novaehollandiae</i> | E | 2 | 3 | 1 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 3 | 0 | 5 |
| 35 | FINCH, BENGALESE/ SOCIETY | <i>Lonchura striata</i> | IV | 6 | 11 | 4 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 11 | 4 | 21 |
| 36 | FINCH, LONG TAILED | <i>Poephila cincta</i> | E | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 37 | FINCH, STAR | <i>Poephila ruficauda</i> | E | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 38 | FINCH, ZEBRA | <i>Poephila guttata</i> | E | 51 | 79 | 70 | 200 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 51 | 79 | 70 | 200 |
| 39 | HERON GREY | <i>Ardea cinerea</i> | IV | 3 | 7 | 3 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 7 | 3 | 13 |
| 40 | HERON, NIGHT | <i>Nycticorax nycticorax</i> | IV | 8 | 11 | 43 | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 11 | 43 | 62 |
| 41 | IBIS, WHITE | <i>Threskiornis aethiopica</i> | IV | 30 | 61 | 50 | 141 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 0 | 0 | 0 | 0 | 25 | 56 | 50 | 131 |
| 42 | KOEL | <i>Eudynamys scolopacea</i> | IV | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 43 | LORIKEET, BLUE FACED | <i>Trichoglossus haematodus</i> | E | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 44 | LORIKEET, SWAINSON'S | <i>Trichoglossus haematodus moluccanus</i> | E | 1 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 |
| 45 | LORRY YELLOW BACKED | <i>Lorius garrulus flavopalliatu</i> | E | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 46 | LOVE BIRD, FISCHERS | <i>Agapornis fischeri</i> | E | 11 | 10 | 15 | 36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 10 | 15 | 36 |
| 47 | LOVE BIRD, PEACH-FACED | <i>Agapornis roseicollis</i> | E | 4 | 6 | 2 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 6 | 2 | 12 |
| 48 | LOVE BIRD, MASKED | <i>Agapornis personatus</i> | E | 1 | 2 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 4 |
| 49 | MACAW, BLUE & YELLOW | <i>Ara ararauna</i> | E | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 |
| 50 | MACAW, GREEN WINGED | <i>Ara chloroptera</i> | IV | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 51 | MUNIA RED | <i>Estrilda amandava</i> | IV | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 52 | MUNIA, BLACKHEADED | <i>Lonchura malacca</i> | IV | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 53 | MUNIA, SPOTTED / NUTMEG MANNIKIN | <i>Lonchura punctulata</i> | IV | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 54 | OSTRICH | <i>Struthio camelus</i> | IV | 2 | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 4 |
| 55 | OWL, BARN | <i>Tyto alba</i> | IV | 1 | 1 | 16 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 16 | 18 |
| 56 | OWL, BROWN FISH | <i>Bubo zeylonesis</i> | E | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 57 | OWL, ORIENTAL SCOPS | <i>Otus sunia</i> | E | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 58 | PARAKEET, ALEXANDRINE | <i>Psittacula eupatria</i> | IV | 4 | 3 | 6 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 6 | 13 |
| 59 | PARAKEET, BLOSSOM HEADED | <i>Psittacula cyanocephala</i> | IV | 4 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 4 |
| 60 | PARAKEET, ROSE RING | <i>Psittacula krameri</i> | IV | 8 | 15 | 2 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 15 | 2 | 25 |
| 61 | PARROT AFRICAN GREY | <i>Psittacus erithacus</i> | IV | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 62 | PELICAN GREY/SPOT BILLED | <i>Pelecanus philippensis</i> | IV | 1 | 2 | 11 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 11 | 14 |
| 63 | PELICAN ROSY/WHITE | <i>Pelecanus onocrotalus</i> | IV | 1 | 1 | 3 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 5 |
| 64 | PHEASANT, GOLDEN | <i>Chrysolophus pictus</i> | E | 4 | 5 | 6 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 5 | 6 | 15 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------------------------|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 65 | PHEASANT, LADY AMHERST'S | <i>Chrysolophus amherstiae</i> | E | 4 | 2 | 2 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 2 | 8 |
|----|--------------------------|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|----------------------------------|-----------------------------------|----|-------------------------------|------------|------------|------------|---------------|----------|----------|---------------------|----------|-----------|------------------|----------|----------|---------------|----------|----------|-------------------------------|------------|-----------|-------------|
| 66 | PHEASANT, RING NECKED | <i>Phasianus colchicus</i> | E | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 67 | PHEASANT, REEV'S | <i>Syrmaticus reevesii</i> | E | 2 | 3 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 0 | 4 |
| 68 | PHEASANT SILVER | <i>Lophura nycthemera</i> | E | 4 | 3 | 17 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 17 | 24 |
| 69 | PHEASANT YELLOW GOLDEN | <i>Chrysolophus pictus mut.</i> | E | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 70 | ROSELLA, EASTERN | <i>Platycercus eximius</i> | E | 4 | 3 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 1 | 8 |
| 71 | SPARROW JAVA | <i>Padda oryzivora</i> | IV | 18 | 30 | 44 | 92 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 | 30 | 44 | 92 |
| 72 | STORK LESSER ADJUTANT | <i>Leptoptilos javanicus</i> | IV | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 73 | STORK PAINTED | <i>Mycteria leucocephala</i> | IV | 4 | 4 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 10 | 18 |
| 74 | STORK OPEN BILLED | <i>Anastomus oscitans</i> | IV | 0 | 0 | 15 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 11 |
| 75 | STORK, WHITE NECKED/WOOLY NECKED | <i>Ciconia episcopus</i> | IV | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 76 | SWAN BLACK | <i>Cygnus atratus</i> | E | 2 | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 4 |
| 77 | SWAN MUTE | <i>Cygnus olor</i> | E | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 78 | MEYER'S PARROT | <i>Poicephalus meyeri</i> | E | 2 | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 4 |
| 79 | RED BILLED PARROT | <i>Pionus sordidus</i> | E | 3 | 3 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 6 |
| 80 | TURACO, VIOLET | <i>Musophaga violacca</i> | E | 0 | 1 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 |
| 81 | TURACO, LIVING STONE'S | <i>Turaco living stonii</i> | E | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| 82 | RINGED NECKED PARAKEET | <i>I-Lutino Mutation</i> | IV | 0 | 0 | 15 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 14 | 14 |
| | | <i>II-Albino Mutation</i> | IV | 0 | 0 | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 4 |
| 83 | RED JUNGLE FOWL | <i>Gallus gallus</i> | IV | 1 | 3 | 4 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 3 | 7 |
| OTHERS _ TOTAL | | | | 380 | 579 | 597 | ### | 0 | 0 | 7 | 0 | 0 | 10 | 7 | 7 | 0 | 4 | 4 | 2 | 373 | 570 | ## | 1549 |
| GRAND TOTAL BIRDS | | | | 389 | 584 | 623 | ### | 0 | 0 | 7 | 2 | 2 | 10 | 7 | 7 | 0 | 4 | 4 | 2 | 384 | 577 | ## | 1593 |
| SCH-I & SCH-II (Wildlife Protection Act) | | | | | | | | | | | | | | | | | | | | | | | |
| MAMMALS | | | | Stock as on 01.07.2017 | | | | Births | | | Acquisitions | | | Disposals | | | Deaths | | | Stock as on 30.09.2017 | | | |
| Sl. No | Species | Scientific name | | M | F | U | T | M | F | U | M | F | U | M | F | U | M | F | U | M | F | U | T |
| 1 | ANTELOPE, FOUR HORNED/CHOWSINGHA | <i>Tetraceros quadricomis</i> | I | 2 | 1 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 4 |
| 2 | BEAR, HIMALAYAN BLACK | <i>Selenarctos thibetanus</i> | II | 4 | 4 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 6 |
| 3 | BEAR, SLOTH | <i>Melursus ursinus</i> | I | 2 | 3 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 0 | 4 |
| 4 | A. BLACK BUCK / KRISHNA MRIG | <i>Antilope cervicapra</i> | I | 4 | 6 | 3 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 6 | 3 | 13 |
| | B. WHITE BUCK | <i>Antilope cervicapra</i> | I | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 5 | CAT, JUNGLE | <i>Felis chaus</i> | II | 5 | 1 | 0 | 6 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 1 | 2 | 8 |
| 6 | CAT, LEOPARD | <i>Prionailurus bengalensis</i> | I | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 7 | CIVET, COMMON PALM / CAT TODDY | <i>Paradoxurus hermaphroditus</i> | II | 4 | 3 | 17 | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 17 | 24 |
| 8 | CIVET, SMALL INDIAN | <i>Viverricula indica</i> | II | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 9 | DEER, BROW ANTLERED / SANGAI | <i>Cervus eldi</i> | I | 3 | 5 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 5 | 0 | 8 |
| 10 | DEER, MOUSE | <i>Tragululus memmina</i> | I | 5 | 3 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 3 | 0 | 8 |
| 11 | DEER- SWAMP / BRASINGHA | <i>Cervus duvauceli</i> | I | 4 | 7 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 7 | 0 | 11 |

| | | | | | | | | | | | | | | | | | | | | | | | |
|----|------------------|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 12 | ELEPHANT, INDIAN | <i>Elephas maximus</i> | I | 1 | 4 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 | 5 |
|----|------------------|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|--------------------------------|--------------------------------|-----|------------|------------|-----------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|------------|------------|------------|-------------|
| 13 | GAUR | <i>Bos Gaurus</i> | I | 2 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 3 | |
| 14 | LEOPARD / PANTHER | <i>Panthera pardus</i> | I | 3 | 3 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 6 | |
| 15 | LION ASIATIC | <i>Pantera leo persica</i> | I | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | |
| 16 | MACAQUE, BONNET | <i>Macaca radiata</i> | II | 6 | 5 | 1 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 0 | 12 | |
| 17 | MACAQUE, RHESUS | <i>Macaca mulatta</i> | II | 3 | 2 | 3 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 8 | |
| 18 | PANGOLIN | <i>Manis crassicaudata</i> | I | 1 | 5 | 0 | 6 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 1 | 7 | |
| 19 | RATEL | <i>Mellivora capensis</i> | I | 1 | 2 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 3 | |
| 20 | SQUIRREL GIANT | <i>Ratufa indica</i> | II | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | |
| 21 | MANGOSE COMMON | <i>Herpestes edwardsi</i> | II | 1 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | |
| 22 | A. TIGER, BENGAL | <i>Panthera tigris tigris</i> | I | 6 | 9 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 9 | 0 | 15 | |
| | B. TIGER, BENGAL (WHITE) | <i>Panthera tigris tigris</i> | I | 4 | 5 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 4 | 0 | 8 | |
| | B. TIGER, BENGAL (MELANISTIC) | <i>Panthera tigris tigris</i> | I | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | |
| 23 | NILGIRI LANGURE | <i>Trachypithecus johnii</i> | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | |
| SCH-I &II - TOTAL | | | | 68 | 72 | 26 | 166 | 0 | 0 | 3 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 70 | 72 | 25 | 167 | |
| | OTHERS | | | | | | | | | | | | | | | | | | | | | | | |
| 23 | BABOON, HAMADRYAS | <i>Papio hamadryas</i> | E | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | |
| 24 | CHIMPANZEE | <i>Pan troglodytes</i> | E | 1 | 4 | 0 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 6 | |
| 25 | DEER, BARKING-MUNTJAC (KAKKAR) | <i>Muntiacus muntjak</i> | III | 25 | 41 | 12 | 78 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 25 | 41 | 12 | 78 | | |
| 26 | DEER, HOG | <i>Axis porcinus</i> | III | 8 | 17 | 6 | 31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 17 | 6 | 31 | | |
| 27 | DEER, SAMBAR | <i>Cervus unicolor</i> | III | 8 | 11 | 2 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 7 | 11 | 2 | 20 | |
| 28 | I.DEER, SPOTTED/ CHITAL(ZOO) | <i>Axis axis</i> | III | 153 | 173 | 18 | 344 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 153 | 173 | 22 | 348 | | |
| | II.DEER, SPOTTED/CHITAL(RBD) | <i>Axis axis</i> | III | 272 | 198 | 0 | 470 | 8 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 280 | 200 | 0 | 480 | | |
| 29 | GIRAFFE | <i>Giraffa camelopardalis</i> | E | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | |
| 30 | HARE INDIAN | <i>Lepus nigricollis</i> | IV | 1 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | |
| 31 | HIPPOPOTAMUS | <i>Hippopotamus amphibius</i> | E | 7 | 7 | 2 | 16 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 7 | 3 | 17 | |
| 32 | HYAENA, STRIPED | <i>Hyaena hyaena</i> | III | 3 | 4 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 0 | 7 | |
| 33 | GIANT FRUIT BAT | <i>Pteropus giganteus</i> | V | 0 | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | |
| 34 | JACKAL | <i>Canis aureus</i> | IV | 3 | 2 | 2 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 2 | 6 | |
| 35 | LION HYBRID | <i>Panthera leo</i> | E | 3 | 4 | 1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 8 | |
| 36 | LION AFRICAN | <i>Panthera leo</i> | E | 2 | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 4 | |
| 37 | NILGAI-BLUE BULL | <i>Boselaphus tragocamelus</i> | III | 6 | 15 | 1 | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 16 | 0 | 22 | | |
| 38 | ORANG UTAN | <i>Pongo pygmaeus</i> | E | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | |
| 39 | PIG WILD/WILD BOAR | <i>Sus scrofa</i> | III | 3 | 1 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 4 | | |
| 40 | A. PORCUPINE INDIAN | <i>Hystrix indica</i> | IV | 2 | 0 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 4 | | |
| 41 | ZEBRA GRANT | <i>Equus burchellii bohmi</i> | E | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | |
| OTHERS - TOTAL | | | | 499 | 483 | 50 | ### | 8 | 3 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 505 | 487 | 53 | 1045 |

| | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------------|--|------------|------------|-----------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------|------------|-----------|-------------|
| | GRAND TOTAL MAMMALS | | 567 | 555 | 76 | ### | 8 | 3 | 8 | 1 | 1 | 0 | 1 | 1 | 0 | 3 | 2 | 0 | 575 | 559 | 78 | 1212 |
|--|----------------------------|--|------------|------------|-----------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------|------------|-----------|-------------|

| SCH-I & SCH-II (Wildlife Protection Act) | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|-----------------------------------|----|-------------------------------|-----------|------------|------------|---------------|----------|-----------|---------------------|----------|----------|------------------|----------|----------|---------------|----------|----------|-------------------------------|-----------|-----------|------------|--|
| REPTILES | | | | Stock as on 01.07.2017 | | | | Births | | | Acquisitions | | | Disposals | | | Deaths | | | Stock as on 30.09.2017 | | | | |
| | Species | Scientific name | | M | F | U | T | M | F | U | M | F | U | M | F | U | M | F | U | M | F | U | T | |
| 1 | COBRA, KING | <i>Ophiophagus hannah</i> | II | 2 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 3 | |
| 2 | COBRA, MONOCELLATE | <i>Naja naja kouthia</i> | II | 1 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | |
| 3 | COBRA, BINOCELLATE | <i>Naja naja</i> | II | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | |
| 4 | CROCODILE, LONG SNOUDED / GHARIAL | <i>Gavialis gangeticus</i> | I | 4 | 27 | 74 | 105 | 0 | 0 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 27 | 94 | 125 | |
| 5 | CROCODILE, MUGGER | <i>Crocodylus palustris</i> | I | 4 | 6 | 4 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 6 | 4 | 14 | |
| 6 | CROCODILE, SALT WATER | <i>Crocodylus porosus</i> | I | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | |
| 7 | MONITOR LIZARD, COMMON INDIAN | <i>Varanus bengalensis</i> | I | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | |
| 8 | MONITOR LIZARD, WATER | <i>Varanus salvator</i> | I | 1 | 4 | 3 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 6 | |
| 9 | PYTHON, BURMESE ROCK | <i>Python molurus bivistatus</i> | I | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | |
| 10 | PYTHON, INDIAN ROCK | <i>Python molurus molurus</i> | I | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | |
| 11 | PYTHON, RETICULATED | <i>Python reticulatus</i> | I | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | |
| 12 | SNAKE, RAT | <i>Ptyas mucosus</i> | II | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | |
| 13 | TURTLE, FRESH WATER / INDIAN FLAP -SHELL | <i>Lissemys punctata punctata</i> | I | 6 | 10 | 48 | 64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 10 | 48 | 64 | |
| 14 | TURTLE, GANGES SOFT SHELL | <i>Trionyx gangeticus</i> | I | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | |
| 15 | VIPER, RUSSEL'S | <i>Vipera ruselli</i> | II | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | |
| 16 | INDIAN CHAMELEON | <i>Chameleon zeylanicus</i> | II | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | |
| SCH-I & II - TOTAL | | | | 21 | 52 | 138 | 211 | 0 | 0 | 20 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 22 | 52 | ## | 231 | |
| OTHERS | | | | | | | | | | | | | | | | | | | | | | | | |
| 17 | BOA, COMMON SAND | <i>Eryx johnii</i> | IV | 1 | 2 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 3 | |
| 18 | BOA, RED SAND | <i>Eryx conicus</i> | IV | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | |
| 19 | CROCODILE, MORELET'S | <i>Crocodylus moreletii</i> | E | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | |
| 20 | CROCODILE, SIAMESE | <i>Crocodylus siamensis</i> | E | 4 | 13 | 3 | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 13 | 3 | 19 | |
| 21 | CHITRA TURTLE | <i>Chitra indica</i> | IV | 0 | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | |
| 22 | KRAIT BANDED | <i>Bungarus fasciatus</i> | IV | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | |
| 23 | KRAIT, COMMON INDIAN | <i>Bungarus caeruleus</i> | IV | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | |
| 24 | TORTOISE STAR INDIAN | <i>Geochelone elegans</i> | IV | 2 | 1 | 10 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 10 | 13 | |
| 25 | CUVIERS DWARF CAIMAN | <i>Paleosuchus Palpebrosus</i> | E | 2 | 3 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 0 | 5 | |
| 26 | TURTEL INDIAN TENT | <i>Pangshura tentoria</i> | I | 0 | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | |
| 27 | I.GREEN IGUANA | <i>Iguana iguana</i> | E | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 4 | |
| | II. RED IGUANA | <i>Iguana iguana</i> | E | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 4 | |
| OTHERS TOTAL | | | | 10 | 22 | 23 | 55 | 0 | 0 | 0 | 4 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 13 | 26 | 23 | 62 | |
| GRAND TOTAL - REPTILES | | | | 31 | 74 | 161 | 266 | 0 | 0 | 20 | 5 | 5 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 35 | 78 | ## | 293 | |

| SL | Species | | | Stock as on 01.07.2017 | | | | Births | | | Acquisitions | | | Disposals | | | Deaths | | | Stock as on 30.09.2017 | | | | |
|----------------------------------|--------------------------|----------------------------|----|------------------------|-------------|------------|------------|----------------|------------|-----------|--------------|----------|-----------|-----------|----------|----------|----------------|------------|----------|------------------------|-------------|-----------|-------------|-----------|
| | | | | M | F | U | T | M | F | U | M | F | U | M | F | U | M | F | U | M | F | U | T | |
| AMPHIBIANS | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | FROG, INDIAN BULL | Hoplobatrachus tigerinus | IV | 0 | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | |
| 2 | FROG, GREEN POND | Lithobates clamitans | IV | 0 | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | |
| 3 | FROG, INDIAN SKIPPER | Euphlyctis cyanophlyctis | IV | 0 | 0 | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | |
| 4 | FROG, COMMON INDIAN TREE | Polypedates maculatus | IV | 0 | 0 | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | |
| 5 | TOAD, ASIAN COMMON | Duttaphrynus melanostictus | IV | 0 | 0 | 5 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | |
| 6 | TOAD, MARBLED | Uperoleia marmorata | IV | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | |
| TOTAL AMPHIBIANS | | | | 0 | 0 | 21 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 | 21 |
| | | | | Stock as on 01.07.2017 | | | | | | | | | | | | | | | | Stock as on 30.09.2017 | | | | |
| | | | | M | F | U | T | M | F | U | M | F | U | M | F | U | M | F | U | M | F | U | T | |
| Birds | | | | 389 | 584 | 623 | ### | 0 | 0 | 7 | 2 | 2 | 10 | 7 | 7 | 0 | 4 | 4 | 2 | 384 | 577 | ## | 1593 | |
| Mammal | | | | 567 | 555 | 76 | ### | 8 | 3 | 8 | 1 | 1 | 0 | 1 | 1 | 0 | 3 | 2 | 0 | 575 | 559 | 78 | 1212 | |
| Reptiles | | | | 31 | 74 | 161 | 266 | 0 | 0 | 20 | 5 | 5 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 35 | 78 | ## | 293 | |
| Amphibians | | | | 0 | 0 | 21 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 21 | 21 | |
| TOTAL | | | | 987 | 1213 | 881 | ### | 8 | 3 | 35 | 8 | 8 | 10 | 10 | 9 | 0 | 7 | 6 | 2 | 994 | 1214 | ## | 3119 | |
| | | | | No. of Individuals | | | | No. of species | | | | | | | | | No. of species | | | No. of Individuals | | | | |
| BIRDS - SCH I&II | | | | 9 | 5 | 26 | 40 | | 11 | | | | | | | | | 10 | | 11 | 7 | 26 | 44 | |
| -OTHERS | | | | 380 | 579 | 597 | ### | | 70 | | | | | | | | | 71 | | 373 | 570 | ## | 1549 | |
| MAMMAL - SCH I & II | | | | 68 | 72 | 26 | 166 | | 22 | | | | | | | | | 23 | | 70 | 72 | 25 | 167 | |
| -OTHERS | | | | 499 | 483 | 50 | ### | | 19 | | | | | | | | | 18 | | 505 | 487 | 53 | 1045 | |
| REPTILE - SCH I & II | | | | 21 | 52 | 138 | 211 | | 16 | | | | | | | | | 16 | | 22 | 52 | ## | 231 | |
| -OTHERS | | | | 10 | 22 | 23 | 55 | | 10 | | | | | | | | | 11 | | 13 | 26 | 23 | 62 | |
| AMPHIBIANS SCH I & II | | | | 0 | 0 | 0 | 0 | | 0 | | | | | | | | | 0 | | 0 | 0 | 0 | 0 | |
| OTHERS | | | | 0 | 0 | 21 | 21 | | 6 | | | | | | | | | 6 | | 0 | 0 | 21 | 21 | |
| TOTAL | | | | 987 | 1213 | 881 | ### | | 154 | | | | | | | | | 155 | | 994 | 1214 | ## | 3119 | |